

EVIDENCE APPENDIX D  
COPY OF PCT PUBLICATION NO. WO 2000/67215

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>7</sup> : G07F 17/32, G06F 17/60		A1	(11) International Publication Number: WO 00/67215 (43) International Publication Date: 9 November 2000 (09.11.00)
(21) International Application Number: PCT/CA00/00443 (22) International Filing Date: 1 May 2000 (01.05.00) (30) Priority Data: 60/131,806 30 April 1999 (30.04.99) US (71)(72) Applicant and Inventor: STRONACH, Andrew, M. [CA/CA]; 14875 Bayview Avenue, Aurora, Ontario L3G 4G8 (CA). (74) Agents: GRAHAM, Robert, J. et al.; Gowling Lafleur Henderson LLP, Suite 4900, Commerce Court West, Toronto, Ontario M5L 1J3 (CA).		(81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>	

(54) Title: MULTIMEDIA WAGERING SYSTEM

(57) Abstract

A multimedia wagering system consists of a race providing system for facilitating wagering on race events, and a plurality of multimedia wagering terminals in communication with the race providing system for wagering on the race events. The race provider includes means for selecting race events for wagering. The wagering terminal includes a multimedia display for displaying the selected race events, a user interface for placing a wager on the selected race event, payout means for providing a payout on the selected race events, and data processing means in communication with the multimedia display, the user interface and the payout means for facilitating wagering on the selected race events. The data processing means includes a handicapping receiver for receiving handicapping data from the race providing system, and odds receiver for receiving odds data from the race providing system, and a wagering processor in communication with the handicapping receiver and the odds receiver for selecting one or more racing candidates for the wager in accordance with the received handicapping data and the received odds data.



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

## MULTIMEDIA WAGERING SYSTEM

## FIELD OF THE INVENTION

The present invention relates to a video gaming system. In particular, the present  
5 invention relates to a multimedia system for facilitating wagering on sporting events.

## BACKGROUND OF THE INVENTION

Wagering on racing events, such as horse races and dog races, typically takes the form  
of either fixed odds wagering or parimutuel wagering. Fixed odds wagering is a system by  
10 which the return for a particular wager is determined in accordance with the payout odds  
assigned to the associated bet. Fixed odds wagering is popular from the perspective of wager  
recipients (eg. betting parlours) since it places a limit on the magnitude of the payout in the event  
of a win. Fixed odds wagering is also popular from the perspective of wagerors since it provides  
a measure of certainty on the possible payout. However, as the odds assigned to a particular bet  
15 can diminish in accordance with the total amount wagered on the bet, fixed odds wagering may  
not be particularly attractive to some wagerors since the payout odds for their bet may diminish  
in the minutes before the start of the sporting event.

Parimutuel wagering is a system by which a wagering pool is established for the receipt  
of bets, and the proceeds of the pool are divided amongst holders of winning tickets in  
20 accordance with the number of winning ticket holders and the magnitude of each wager.  
Parimutuel wagering is popular from the perspective of the wager recipients (eg. race track  
owners), since the recipient typically receives a fixed percentage of the pool prior to the payout  
to the winning ticket holders. Also, parimutuel wagering is popular from the perspective of the  
wageror since the return on a particular wager is proportional to the size of the wagering pool  
25 and, therefore, can exceed the fixed odds return of the bet. However, parimutuel wagering also  
suffers from a number of disadvantages.

Firstly, parimutuel wagering requires a knowledge of betting terminology (eg. win, place,  
show, triactor, exactor). Secondly, parimutuel wagering requires the wageror to be conversant  
with betting forms, and to have knowledge of race contestant handicapping. For example, for  
30 horse racing, successful handicapping requires a consideration of several factors, including track  
conditions, horse record, and jockey record for each contestant horse. Consequently, parimutuel  
wagering may not provide wager recipients with a significant return since novices may be  
intimidated by the knowledge required and either make only minimal wagers or no wagers at all.

Therefore, attempts have been made to improve on the conventional fixed odds wagering and parimutuel wagering systems to encourage wagerors to place wagers.

For instance, AutoTote Systems Inc. markets video terminals which remove the need for the wageror to interact with a human wager recipient. The video terminal consists of a touch-sensitive CRT display, a card reader, and a central processing unit in communication with the  
5 CRT display, the card reader and a remote wagering computer for processing desired wagers. To place a wager, the wageror purchases a wager card, inserts the wager card into the card reader, and then selects the desired track, the desired horse(s), the wager form (eg. win, place, show), and the amount of the wager. Although the video terminal allows the novice to conceal his/her  
10 lack of familiarity with betting terminology and handicapping, it does little to encourage the novice to make wagers.

Algie (US 5,564,977) teaches a racetrack display system which attempts to encourage parimutuel wagering on horse races. The display system consists of central processing unit (CPU), a modem in communication with a central parimutuel computer system, and a number  
15 of LED display boards controlled by the CPU for displaying parimutuel data received from the parimutuel computer system. Typically the display system includes at least three LED display boards, each of which continuously displays a stream of parimutuel data for a respective time interval and then displays the parimutuel data in effect at the end of the respective time interval. In this manner, wagerors are able to make wagering decisions based on the historical trends in  
20 the odds of a particular bet, thereby adding a measure of stability and excitement to the wagering process. However, Algie still requires a significant level of knowledge in terms of betting terminology for users to place wagers. Also, in comparison to simpler electronic gaming machines, such as video poker games, Algie does little to encourage the use of the racetrack display system.

Orford (US 6,033,308) teaches a combined parimutuel and fixed odds wagering system consisting of a number of betting terminals linked to a central processor for the receipt of parimutuel or fixed odds wagers, a parimutuel wager pool which receives the parimutuel wagers, and a fixed odds wager pool which receives the fixed odds wagers. The central processor sequentially opens and closes a succession of time periods during which fixed odds wagers are  
25 accepted from the betting terminals, and utilizes the liabilities arising from the wagers received by the parimutuel wager pool and the fixed odds wager pool to determine the fixed odds for each successive time period. By combining parimutuel and fixed odds wagering, the combined  
30 wagering system attempts to ameliorate some of the weaknesses of conventional parimutuel

wagering systems. However, as the wageror must still have knowledge of betting terminology and handicapping, Orford does not appreciably encourage novices to make wagers.

Youbet.com maintains a web site which facilitates racetrack wagering over the Internet. Upon accessing the Youbet.com web site, the wageror is provided with a series of web pages which allow the wageror to select a racing event and to place a wager on the selected racing event. After a wager is placed, the web site provides the wageror with a streaming multimedia presentation of the selected racing event. Although the web site provides handicapping information for assisting the prospective wageror in placing wagers, the wageror must still have some knowledge of betting terminology and be able to make wagering decisions from the handicapping information. Further, the multimedia window used to display the selected racing event is typically quite small, being limited by the bandwidth of the connection to the Internet and traffic to the Youbet.com web site. Therefore, Youbet.com does little to create an incentive to place wagers. In addition, each wageror must establish an account with Youbet.com before placing a wager, thereby creating an obstacle to the wagering process.

Brenner (US 6,004,211) teaches an interactive wagering system and method for off-track wagering. The wagering system consists of a number of totalisators for generating odds in real time on wagers placed on racing events at different racetracks, a number of home-based user terminals in communication with the totalisators over telephone lines to allow wagerors to select racing events and to place wagers on the selected racing events. Each terminal includes a display device which displays menus for allowing the wagerors to select the racing events and to place the wagers on the racing events. The display device also displays information on upcoming racing events, and allows the user to view the racing events in real time or to view taped races. The user terminal also includes a card reader configured for receiving an electronic or magnetic card for storing the wageror's account information. Although Brenner facilitates wagering through a series of linked menus, and provides handicapping information for assisting the prospective wageror in placing wagers, the wageror must still have some knowledge of betting terminology and be able to make wagering decisions from the handicapping information. Further, the quality of the displayed racing events is limited by the need to compress each multimedia race presentation prior to transmission at each user terminal, and the need to simultaneously service multiple users with different multimedia race presentations. In addition, each wageror must establish an account with one of the totalisators before placing a wager, thereby creating an obstacle to the wagering process.

Therefore, there remains a need for a wagering system and method which encourages wagering on racing events.

#### SUMMARY OF THE INVENTION

5       According to the invention, there is provided a multimedia wagering system and method which addresses deficiencies of the prior art wagering systems.

      The multimedia wagering system, according to a first aspect of the present invention, includes a race providing system for facilitating wagering on race events, and a plurality of multimedia wagering terminal in communication with the race providing system for wagering  
10       on the race events. The race provider includes means for selecting race events for wagering. The wagering terminal includes a multimedia display for displaying the selected race events, a user interface for placing a wager on the selected race event, payout means for providing a payout on the selected race events, and data processing means in communication with the multimedia display, the user interface and the payout means for facilitating wagering on the selected race  
15       events.

      The multimedia wagering method, according to a first aspect of the present invention, includes the steps of (1) providing a race providing system for facilitating wagering on race events; (2) providing a plurality of multimedia wagering terminals, each being configured for displaying the race events and for providing a payout on the race events; (3) at the race providing  
20       system, selecting one of the race events and transmitting to each wagering terminal a notice of the selected one race event; (4) during a wagering period for the selected race event, receiving from at least one of the wagering terminals a wager on the selected race event; (5) subsequent to the wagering period, displaying on the at least one wagering terminals the selected race event; and (6) subsequent to the selected race event, providing the payout in accordance with each  
25       received wager and the outcome of the selected race event.

      According to a second aspect of the present invention, there is provided a multimedia wagering terminal which includes a multimedia display for receiving transmissions of race events from a remote race providing system, a user interface for placing a wager on elected race events, and payout means for providing a payout on the wagered race events. The wagering  
30       terminal is configured for providing the wager in a single predetermined wager form, and includes data processing means in communication with the multimedia display, the user interface and the payout means for facilitating wagering on the elected race events with the race providing system.

According to a third aspect of the present invention, there is provided a multimedia wagering terminal which includes a multimedia display for receiving transmissions of race events from a remote race providing system, a user interface for placing a wager on elected race events, and payout means for providing a payout on the wagered race events, and data processing  
5 means in communication with the multimedia display, the user interface and the payout means for facilitating wagering on the elected race events with the race providing system. The data processing means includes a handicapping receiver for receiving handicapping data from the race providing system, an odds receiver for receiving odds data from the race providing system, and a wagering processor in communication with the handicapping receiver and the odds receiver for  
10 selecting one or more racing candidates for the wager in accordance with the received handicapping data and the received odds data.

In a preferred implementation of the invention, the race providing system includes feeds from a number of different race tracks, and a database of previously run race events so as to provide the wagering terminals with a continuous succession of race events, even when no live  
15 race events are pending. Since the race providing system selects the race event to be displayed next, each wagering terminal is configured for preventing a user selection of the race events. Consequently, each wagering terminal displays the same race event, thereby reducing multimedia bandwidth requirements, increasing multimedia display quality and thereby increasing the incentive for wagering. Further, each wagering terminal is configured for providing the wager  
20 in only a single predetermined wager form. The predetermined wager form is prominently displayed on the wagering terminal, using words which explain the wager without recourse to typical betting terminology.

The data processing means includes a handicapping receiver for receiving handicapping data from the race providing system, an odds receiver for receiving odds data from the race  
25 providing system, and a wagering processor in communication with the handicapping receiver and the odds receiver for selecting one or more racing candidates for the wager in accordance with the received handicapping data and the received odds data. The wagering processor is configured for providing the wager in the single predetermined wager form assigned to the wagering terminal. However, in another implementation, each wagering terminal is configured  
30 for providing the wager in one of a number of different predetermined wager forms, and the wagering processor is configured for facilitating placement of the wager in accordance with a user-selected one of the predetermined wager forms.



## BRIEF DESCRIPTION OF THE DRAWINGS

The preferred embodiment of the invention will now be described, by way of example only, with reference to the drawings, in which:

Fig. 1 is a schematic view of the multimedia wagering system, according to the present invention, depicting the race providing system and the multimedia wagering terminals;

Fig. 2 is a schematic diagram of the race providing system shown in Fig. 1, depicting the

Fig. 3 is a perspective view of one of the multimedia wagering terminals shown in Fig. 1, depicting the multimedia display, the user interface and the payout means ;

Fig. 4 is a schematic diagram of the multimedia wagering terminal shown in Fig. 3, depicting the handicapping receiver, the odds receiver, and the wagering processor; and

Figs. 5a, 5b, and 5c comprise a flow chart describing the wagering steps facilitated by the multimedia wagering system.

## DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Turning to Fig. 1, a multimedia wagering system, denoted generally as 100, is shown comprising a plurality of wagering facilities 102, a race providing system 104 in communication with the wagering facilities 102, a plurality of multimedia wagering terminals 106, and a communications network 108 for facilitating communication between the race providing system 104 and the wagering terminals 106. Preferably, the communications network 108 comprises a closed network, however the communications network may instead comprise an open network, such as the Internet, if the open network has sufficient bandwidth for adequately servicing the multimedia wagering terminals 106.

Typically, each wagering facility 102 is associated with one or more race tracks, and provides the race providing system 104 with racing information, such as the names and post positions of the race candidates (eg. horse, dog) running in each race event at each associated race track. The wagering facilities 102 also provide the race providing system 104 with odds information for each race candidate, betting pool information on the size of the betting pool associated with each racing event, and handicapping information, such as the weather conditions, and the jockey name, race candidate age, win record, and number of days since the last race event for each race candidate. In addition, the wagering facilities 102 provide the race providing system 104 with live video and audio feeds for each race event, and the race results at the end of each race event. Typically, the racing information, odds information, betting pool information, handicapping information, and the live race feeds are provided to the race providing

system 104 over a telecommunications network, such as a wireless or cable telecommunications network.

As shown in Fig. 2, the race providing system 104 comprises a system user interface 110, a wagering facility transceiver 112 for communicating with the wagering facilities 102, a  
5 wagering terminal transceiver for communicating with the wagering terminals 106, a central processing unit (CPU) 116 in communication with the system user interface 110 and the wagering transceivers 112, 114, and a non-volatile memory 118 and a volatile memory (RAM) 120 in communication with the CPU 116. The user interface 110 comprises a data display  
10 device 122 for allowing the system user to view the racing information, odds information, betting pool information, handicapping information, and the live race feeds. Preferably, the data display device 122 comprises a plurality of CRT displays which allow the system user to view the information and live race feeds received from each wagering facility 112 separately from the  
information and live race feeds received from the other wagering facilities 112. The user interface 110 also includes a data input device 124, such as a keyboard and/or mouse, for  
15 allowing the system user to enter control commands through the system user interface 110. The control commands include selection commands for selecting a race event to be displayed on the wagering terminals 106, and configuration commands for altering the predetermined wager form (discussed below) of any of the wagering terminals 106.

The non-volatile memory 118 includes a race database 126 which includes multimedia  
20 records for a number of previously run race events. Each multimedia record comprises (for each previously run race event) a video record of the race event, an audio record accompanying the video record, a track name record identifying the name and location of the race track where the race event was run, a race candidate record identifying the name of the race candidates, a jockey  
record identifying the name of the jockey associated with each race candidate, an odds record  
25 identifying the odds for each race candidate, a race outcome record identifying the names of the first four race candidates to finish the race event, a weather record identifying the weather conditions existing at the time the race event was run, and handicapping information existing at the time of the race event. Preferably, the multimedia records are stored in an array of high speed CD-ROM storage devices for quick access by the CPU 116.

30 The non-volatile memory 118 also include processor instructions for the CPU 116. The processor instructions establish in the RAM 120 a memory object defining a race selector 128 in communication with the race database 126, and a memory object defining a wager processor 130. The RAM 120 also includes a local wager database 132 in communication with the wager

processor 130. The wager database 130 includes wagering records, each identifying the network address of a wagering terminal 106 and a wager transmitted from one of the wagering terminals 106.

To enhance revenues from the wagering process, the race selector 128 is configured to  
5 select between live feed race events received from the wagering facilities 102 and previously run race events stored in the race database 126, and to make a selection of one of the race events within a predetermined time frame. Preferably, the race selector 128 is configured to select the next live race event which is scheduled to run within the predetermined time frame and, if more than one live race event is scheduled to run within the predetermined time frame, to randomly  
10 select one of the live race events. The race selector 128 is also configured to randomly select one of the previously run race events if no live race is scheduled to be run within the predetermined time frame. In this manner, each wagering terminal 106 is continuously provided with a succession of race events upon which to wager. Further, the race selector 128 is configured to accept a selection command from the user interface 110, thereby allowing the system operator  
15 to specify a live race event or a previously run race event to run and override the default selection of the race selector 128.

The wager processor 130 is configured to receive wager information from the wagering terminals 106, to maintain the wager database 132 with the received wager information, and to signal the appropriate wagering terminals 106 to initiate payout to the wagerors for winning  
20 wagers. Where the wagering terminals 106 are used to place parimutuel wagers, the wager processor 130 is also configured to transmit the received wager information to the wagering facilities 102 for inclusion in the parimutuel pool, and to receive information from the wagering facilities 102 on the size of the parimutuel pool for calculation of the requisite payout.

Turning now to Fig. 3, each multimedia wagering terminal 106 is shown comprising a  
25 multimedia display 134 for presenting the race events selected by the race providing system 104, a user interface 136 for placing wagers on the selected race events, a currency receiver 138 for receiving paper currency, a currency dispensing device 140 for dispensing cash winnings, a card read/write device 142 for receiving an electronic or magnetic-stripe card for retaining account information, and a housing 144 for retaining the multimedia display 134, the user interface 136,  
30 the currency receiver 138, the currency dispensing device 140, and the card read/write device 142. Typically, the electronic or magnetic-stripe card is issued by a betting parlour in which the wagering terminal 106 is located, and is encoded with information identifying the wageror's account balance. As will be apparent, the currency receiver 138 and the card read/write device

142 provide alternate mechanisms for crediting the wageror's account, and the currency dispensing device 140 and the card read/write device 142 provide alternate mechanisms for facilitating a payout for a winning wager. The wagering terminal 106 also includes a data processor 152 (discussed below) for facilitating wagering on the selected race events.

5 Preferably, the wagering terminal 106 is configured for providing a wager in only a single predetermined wager form, and the housing 144 includes a wager description 146, prominently displayed on the housing 144, identifying the wager form using words which explain the wager without recourse to typical betting terminology. Preferred wager descriptions 146 include "Pick A Winner", "Pick Two Any Order", "Pick Two Exact Order", "Pick Three Any Order", "Pick  
10 Three Exact Order", "Pick Four Any Order", "Pick Four Exact Order", "Pick Top Two", and "Pick Top Three".

The multimedia display 134 comprises a CRT display 134a for displaying a video stream of the selected race event, and a speaker 134b for playing an audio stream accompanying the video stream. Preferably, the CRT display 134a comprises a touch sensitive CRT display,  
15 including a touch sensitive membrane (not shown) in communication with the data processor 152 for manually selecting race candidates for the selected race event and for causing a cash payout of the wageror's winnings. The user interface 136 comprises a series of wager buttons 148 (shown individually as 148a, 148b, 148c) for accepting wagers in predetermined wager (eg. dollar) amounts. The user interface 136 also includes a bet submission button 150 for  
20 transmission of a wager to the race providing system 104. As will be apparent, since the race providing system 104 selects the race events for presentation on the wagering terminals 106, the user interface 136 does not include means for allowing wagerors to select a race event for wagering.

It should be understood that the configuration shown in Fig. 3 is only a preferred  
25 implementation for the wagering terminal 106, and that other configurations are also envisaged. For instance, in one variation, not shown, the wagering terminal 106 excludes the currency receiver 138 and the currency dispensing device 140, and maintains the card read/write device 142 as the sole means for receiving wagers and for providing payouts. In another variation, not shown, the user interface 136 includes a plurality of wager form buttons, each identifying a  
30 respective predetermined wager form (eg. Pick A Winner), for facilitating placement of the wager according to one of a plurality of wager forms. Other variations of the wagering terminal 106 will be apparent to those of ordinary skill.

-10-

As shown in Fig. 4, the data processor 152 comprises a network interface 154 for communicating with the race providing system 104 over the communications network 108, and a central processing unit (CPU) 156 in communication with the multimedia display 134, the user interface 136, the currency receiver 138, the currency device 140, the card read/write device 142, and the network interface 148. The data processor 152 also includes a non-volatile memory (ROM) 158 and a volatile memory (RAM) 160 in communication with the CPU 156.

The ROM 158 includes a handicapping buffer 162 for receiving handicapping data from the race providing system 104, an odds buffer 164 for receiving odds data from the race providing system 104, and an account buffer 166 for recording the monetary value of funds in the wageror's wagering account. As discussed above, typically the handicapping data includes information such as the weather conditions, and the jockey name, candidate age, win record, and number of days since the last race event for each race candidate.

The ROM 158 also includes processor instructions for the CPU 156 which establish in the RAM 160 a memory object defining a wagering processor 168, and a memory object defining an account processor 170. The wagering processor 168 communicates with the handicapping buffer 162 and the odds buffer 164 and is configured for selecting one or more racing candidates for the wager in accordance with the handicapping data stored in the handicap buffer 162 and the odds data stored in the odds buffer 164. The wagering processor 166 is also configured to display the selected racing candidates on the multimedia display 134 after the racing candidates are selected.

In one variation (not shown), the user interface 136 includes a select button for initiating reselection of the racing candidates, and the wagering processor 166 is configured to reinitiate selection of racing candidates upon receipt of the reselection command from the user interface 136. In this variation, preferably the wagering processor 166 is configured with a number of different candidate selection algorithms, with each algorithm giving different weights to the various handicapping data, and is configured to use a different one of the selection algorithms after each reselection command received from the user interface 136. In this manner, the wagering processor 166 typically selects different racing candidates for each actuation of the select button.

The account processor 170 is in communication with the currency receiver 138, the card read/write device 142 and the account buffer 166, and is configured for crediting the wageror's wagering account with money received by the currency receiver 138. The account processor 170 is also configured to credit the wageror's account with credits stored on the electronic/magnetic-

stripe card which is inserted in the card read/write device 142, and to update the wageror's wagering account in accordance with the amount wagered and the outcome of the selected race event.

5 The processing instructions also configure the CPU 156 to (1) receive a wager amount from the user interface 136 for the selected race event, (2) transmit to the race processing system 104 the wager amount together with the selected racing candidates, (3) subsequently display on the multimedia display 134 a video and audio stream of the race event received from the race processing system 104, and then (4) award a payout in accordance with the wager amount and the selected racing candidates. The details of the wagering process, as facilitated by the processing instructions of the CPU 116 and the processing instructions of the CPU 156, are explained in greater detail in Fig. 5.

As shown in Fig. 5, at step 200 the race selector 128 queries the start times from the race event information received from the wagering facilities 102, and identifies the next live race events. At step 202, the race selector 128 determines whether any of the next live race events are scheduled to run within the next predetermined time window. Typically, the time window between the end of one race event and the start of the next race event is no more than a 120 seconds in order to increase wagering volume and to maintain the enthusiasm of the wagerors. Preferably, the time window between the end of one race event and the start of the next race event is no more than 15 seconds.

20 If no live race events are scheduled to run within the next predetermined time window, at step 204 the race selector 128 determines whether the system operator has input an override command, via data input device 124, instructing the race selector 128 to select a particular previously run race event. If an override command has been received from the data input device 124, at step 206 the race selector 128 accesses the race database 126 and retrieves the race track name and place of the selected previously-run race event, the name of each race candidate, the name of the jockey associated with each race candidate, and the odds and handicapping information for each race candidate. At step 208, the race selector 128 transmits to the wagering terminals 106 the extracted race information, together with start time information identifying the start time of the race event. As will be appreciated, some race events can only entertain certain forms of wagers. For instance, "Pick Two Exact Order"-type betting may not be permitted at the selected race event. Consequently, at step 208, the race selector 128 transmits the race information to only those wagering terminals 106 which are capable of placing wagers on the race event. However, in one variation, the system operator enters a configuration command via

the data input device 110 to change the predetermined wager form of selected wagering terminals 106 to the wager form permitted at the selected race event, and the race selector 128 transmits (at step 128) the configuration command together with the race information to the selected wagering terminals 106.

5           If no override command has been received from the data input device 124, at step 210 the race selector 128 randomly selects one of the previously-run race events from the race database 126. Then, at step 206, the race selector 128 retrieves from the race database 126 the race track name and place of the selected previously-run race event, the name of each race candidate, the name of each jockey associated with each race candidate, and the odds and handicapping  
10       information for each race candidate. At step 208, the race selector 128 transmits to the wagering terminals 106 (which are capable of placing wagers on the race event) the extracted race information, together with start time information identifying the start time of the race event.

          If, at step 202, the race selector 128 determines that at least one live race event is scheduled to run within the next predetermined time window, at step 212 the race selector 128  
15       determines whether the system operator has input an override command via data input device 124, instructing the race selector 128 to display a particular live race event or a particular previously run race event. If no override command has been received from the data input device 124, at step 214 the race selector 128 randomly selects one of the live or previously-run race events. Then at step 216, the race selector 128 determines whether the selected race event is a  
20       live race event or a previously-run race event. If the race selector 128 determines that the selected race event is a previously-run race event, at step 206 the race selector 128 retrieves from the race database 126 the race track name and place of the selected previously-run race event, the name of each race candidate, the name of each jockey associated with each race candidate, and the odds and handicapping information for each race candidate. At step 208, the race selector  
25       128 transmits to the wagering terminals 106 (which are capable of placing wagers on the race event) the extracted race information, together with start time information identifying the start time of the race event.

          If the race selector 128 determines that the selected race event is a live race event, at step 218 the race selector 128 obtains from the associated wagering facility 102 the race track name and place of the selected race event, the name of each race candidate, the name of each jockey  
30       associated with each race candidate, the odds and handicapping information for each race candidate, and the start time of the race event. At step 208, the race selector 128 transmits the

race information to the wagering terminals 106 which are capable of placing wagers on the race event.

If at step 212, the race selector 128 determines that an override command has been received from the data input device 124, at step 216 the race selector 128 determines whether the race event selected by the system operator is a live race event or a previously-run race event. If the race selector 128 determines that the selected race event is a previously-run race event, at step 206 the race selector 128 retrieves from the race database 126 the race track name and place of the selected previously-run race event, the name of each race candidate, the name of each jockey associated with each race candidate, and the odds and handicapping information for each race candidate. At step 208, the race selector 128 transmits to the wagering terminals 106 (which are capable of placing wagers on the race event) the extracted race information, together with start time information identifying the start time of the race event.

If the race selector 128 determines that the race event selected by the system operator is a live race event, at step 218 the race selector 128 obtains from the associated wagering facility 102 the race track name and place of the selected race event, the name of each race candidate, the name of each jockey associated with each race candidate, the odds and handicapping information for each race candidate, and the start time of the race event. At step 208, the race selector 128 transmits the race information to the wagering terminals 106 which are capable of placing wagers on the race event.

At step 220, each wagering terminal 106 (which is capable of placing wagers on the race event) displays on the multimedia display 134 the race track name and place of the selected race event, the name of each race candidate, the name of each jockey associated with each race candidate, and the odds for each race candidate. The data processor 152 may also change the predetermined wager form assigned to the wagering terminal 106 if the race selector 128 transmits a configuration command at step 208, so as to allow the wagering terminals to display the selected race event.

Each wagering terminal 106 also stores the received handicapping information in the handicap buffer 162, and stores the odds information in the odds buffer 164. The CPU 156 then begins counting down the time remaining until the start of the race event, and displays the time remaining on the multimedia display 134. The time remaining until the start of the race event is referred to herein as the "wagering period".

At step 222, the account processor 170 determines whether the wageror has deposited money into the currency receiver 138, or has inserted an electronic/magnetic-stripe wageror's



-14-

card into the card read/write device 142, thereby establishing a wagering account in the account buffer 166. In one variation, the wagering terminal 106 is in communication with banking computers and the account processor 170 establishes a wagering account by electronically transferring funds from the wageror's bank account, after the wageror provides the account processor 170 with the appropriate PIN and bank account number, via the user interface 136.

If no wagering account has been established, the wagering terminal 106 continues to display the race information at step 220. On the other hand, if a wagering account has been established, at step 224 the account processor 170 determines whether the wagering period has expired. If the account processor 170 determines that the wagering period has expired, the wagering terminal 106 continues to display the race information at step 220. As will be apparent, since the race providing system 104 continuously updates the wagering terminals 106 with information on the next race event to be run, shortly after the wagering period expires the wagering terminal 106 will advise the wageror of the next race event.

If the account processor 170 determines that the wagering period has not expired, at step 226 the account processor 170 waits for a wager amount to be selected (via selection of one of the wager buttons 148). Once a wager amount is selected, at step 228 the account processor 170 determines whether the wagering period has expired. If the account processor 170 determines that the wagering period has expired, the wagering terminal 106 continues to display the race information at step 220. On the other hand, if the account processor 170 determines that the wagering period has not expired, at step 230 the wagering processor 170 queries the account buffer 166 to determine whether the wageror has sufficient funds in its wagering account for the wager. If the account processor 170 determines that the wagering account does not have sufficient funds for the wager, the account processor 170 displays a message on the multimedia display 134, requesting that the wageror insert more funds or place a smaller wager. The account processor 170 then waits for a new wager at step 226.

If the account processor 170 determines that the wagering account does have sufficient funds for the wager, at step 234 the wagering processor 168 queries the handicap buffer 162 and the odds buffer 164 to derive at a suitable race candidate (or candidates) for the wager, in accordance with the predetermined wager form assigned to the wagering terminal 106. The wagering processor 168 then displays the selected race candidates on the multimedia display 134 at step 236, and if the selected race candidates are deemed by the wageror to be unacceptable, the wageror can override the selection by directly selecting the desired race candidates using the touch sensitive membrane of the multimedia display 134. If the selected race candidates are

deemed by the wageror to be acceptable, the wageror completes the wager by activation of the bet submission button 150.

At step 238, the account processor 170 then determines whether the wagering period has expired. If the account processor 170 determines that the wagering period has expired, the wagering terminal 106 waits for the next race event at step 220. If the account processor 170 determines that the wagering period has not expired, the wagering terminal 106 transmits the wager amount and the selected race candidate to the race providing system 104. The race providing system 104 stores the wager information in the wager database 132, together with the network address of the wagering terminal 106 at step 240.

As discussed above, in one variation the user interface 136 includes a select button for initiating selection of the racing candidates. Accordingly, in this variation, the wageror places a wager at step 226 by selecting one of the wager buttons 148 and activating the select button. If the race candidates are deemed by the wageror to be unacceptable, the wageror re-activates the select button, causing the wagering processor 168 to use an alternate algorithm for selecting the race candidates. Once the race candidates are deemed by the wageror to be acceptable, the wageror completes the wager by activating the bet submission button 150.

Alternately, as discussed above, in another variation, the user interface 136 includes a plurality of wager form buttons to allow the wageror to select a desired one of the predetermined wager forms. Accordingly, in this latter variation, the wageror places a wager at step 226 by selection of one of the wager buttons 148 and activation of the wager form button corresponding to the desired wager form.

The race providing system 104 continues to receive wagers until the end of the wagering period. Upon receipt of each wager, the race providing system 104 transmits the wager information to the wagering facilities 102. Once the wager processor 130 determines that the wagering period has expired (at step 242), the race providing system 104 transmits (at step 244) the selected race event to the wagering terminals 106 from which it has received wagers. Consequently, wagerors are encouraged to place wagers on a race event in order to view the race. Since the race providing system 104 transmits the same race event to each wagering terminal 106 (which is capable of placing wagers on the race event), the bandwidth requirements for presenting the race are less than that of the prior art wagering systems. Consequently, wagerors are provided with a more exciting multimedia experience, thereby encouraging wagerors to place wagers on subsequent race events.

At the end of the race event (at step 246), the wager processor 130 queries the wager database 132 to identify the winning wagers, calculates the payout payable to each wageror in accordance with the amount wagered (and either the payout odds if the wager was a fixed odds wager, or the size of the parimutuel pool if the wager was a parimutuel wager), and then transmits to each winning wagering terminal 106 (using the network address stored in the wager database 132) a data packet indicating the payout amount. The race providing system 104 also transmits to the wagering terminals 106 a data packet identifying the names of the first four race candidates to finish the race event, and then proceeds to identify the next live race events at step 200.

Upon receipt of the winning candidate data packet, the CPU 156 displays on the multimedia display 134 the names of the first four race candidates to finish the race event. Upon receipt of the payout data packet, the account processor 170 updates the wageror's wagering account, as stored in the account buffer 166, and then updates the account information on the electronic or magnetic-stripe card (if present). The wageror can then place a wager on the next race event, or obtain a payout of the winnings by removing the electronic or magnetic-stripe card from the card read/write device 142. Alternately, if no electronic or magnetic-stripe card is used, the wageror can initiate a payout by sending a suitable command to the account processor 170 via the touch sensitive membrane of the multimedia display 134, thereby causing a cash payout via the currency dispensing device 140. In the variation where the wagering terminal 106 is in communication with banking computers, the wageror may also initiate payout to the wageror's bank account, after the wageror provides the account processor 170 with the appropriate PIN and bank account number, entered via the user interface 136.

The present invention is defined by the claims appended hereto, with the foregoing description being merely illustrative of the preferred embodiment of the invention. Those of ordinary skill may envisage certain additions, deletions and/or modifications to the described embodiment, which although not explicitly described herein, do not depart from the spirit or scope of the invention, as defined by the claims appended hereto.

## I CLAIM:

1. A multimedia wagering system comprising:  
a race providing system for facilitating wagering on race events, the race provider including means for selecting next ones of the race events for the wagering; and  
a plurality of multimedia wagering terminal in communication with the race providing system for wagering on the selected race events, the wagering terminal including a multimedia display for displaying the selected race events, a user interface for placing a wager on the selected one race event, payout means for providing a payout on the selected race events, and data processing means in communication with the multimedia display, the user interface and the payout means for facilitating wagering on the selected race events.
2. The wagering system according to claim 1, wherein the data processing means includes a handicapping receiver for receiving handicapping data from the race providing system, an odds receiver for receiving odds data from the race providing system, and a wagering processor in communication with the handicapping receiver and the odds receiver for selecting one or more racing candidates for the wager in accordance with the received handicapping data and the received odds data.
3. The wagering system according to claim 2, wherein the user interface is configured for initiating reselection of the racing candidates by the wagering processor.
4. The wagering system according to claim 2, wherein the wagering processor is configured for providing the wager in only a single predetermined wager form.
5. The wagering system according to claim 2, wherein the wagering processor is configured for facilitating placement of the wager in accordance with one of a plurality of user-selectable predetermined wager forms.
6. The wagering system according to claim 1, wherein the payout means includes a currency receiver for receiving money, and an account processor coupled to the currency receiver for crediting a user account with the received money and for updating the user account in accordance with a wager amount and an outcome of each said wagered race event.
7. The wagering system according to claim 1, wherein the race providing system includes race feeds from a plurality of race providers for displaying the race events on the multimedia displays in real time, a race database of previously run race events, and means for dynamically selecting the next one race event from the race feeds and the race database.
8. A multimedia wagering method, comprising the steps of:

-18-

providing a race providing system for facilitating wagering on race events;  
providing a plurality of multimedia wagering terminals, each said wagering terminal being configured for displaying the race events and for providing a payout on the race events;  
at the race providing system, selecting one of the race events and transmitting to each said wagering terminal a notice of the selected one race event;  
during a wagering period for the selected one race event, receiving from at least one of the wagering terminals a wager on the selected one race event;  
subsequent to the wagering period, displaying on the at least one wagering terminals the selected one race event; and  
subsequent to the selected one race event, providing the payout in accordance with each said received wager and an outcome of the selected one race event.

9. The method according to claim 8, wherein the multimedia wagering terminals are each configured for providing the wager in only a single predetermined wager form, and the wager receiving step comprises receiving from the at least one wagering terminals the predetermined form wagers.

10. The method according to claim 8, wherein the multimedia wagering terminals are each configured for providing the wager in accordance with one of plurality of user-selectable predetermined wager forms, and the wager receiving step comprises receiving from the at least one wagering terminals the selected predetermined form wagers.

11. The method according to claim 8, wherein the race providing system includes race feeds from a plurality of race providers for receiving from the race providers feeds of live ones of the race events, and a race database of previously run ones of the race events, and the race event selecting step comprises selecting between the live race events and the previously run race events in accordance with a start time of the live race events.

12. A multimedia wagering terminal comprising:

a multimedia display for receiving transmissions of race events from a remote race providing system;

a user interface for placing a wager on elected ones of the race events, the wager having a single predetermined wager form;

payout means for providing a payout on the wagered race events; and

data processing means in communication with the multimedia display, the user interface and the payout means for facilitating wagering on the elected race events with the race providing system.

13. The wagering terminal according to claim 12, wherein the data processing means includes a handicapping receiver for receiving handicapping data from the race providing system, an odds receiver for receiving odds data from the race providing system, and a wagering processor in communication with the handicapping receiver and the odds receiver for selecting one or more racing candidates for the wager in accordance with the received handicapping data and the received odds data.
14. The wagering terminal according to claim 13, wherein the user interface is configured for initiating reselection of the racing candidates by the wagering processor.
15. The wagering terminal according to claim 12, wherein the user interface is configured for preventing a user selection of the race events.
16. The wagering terminal according to claim 12, wherein the payout means includes a currency receiver for receiving money, and an account processor coupled to the currency receiver for crediting a user account with the received money and for updating the user account in accordance with a wager amount and an outcome of each said elected race event.
17. A multimedia wagering terminal comprising:
  - a multimedia display for receiving transmissions of race events from a remote race providing system;
  - a user interface for placing a wager on elected ones of the race events;
  - payout means for providing a payout on the wagered race events; and
  - data processing means in communication with the multimedia display, the user interface and the payout means for facilitating wagering on the elected race events with the race providing system, the data processing means including a handicapping receiver for receiving handicapping data from the race providing system, an odds receiver for receiving odds data from the race providing system, and a wagering processor in communication with the handicapping receiver and the odds receiver for selecting one or more racing candidates for the wager in accordance with the received handicapping data and the received odds data.
18. The wagering terminal according to claim 17, wherein the user interface is configured for initiating reselection of the racing candidates by the wagering processor.
19. The wagering terminal according to claim 17, wherein the wagering processor is configured for providing the wager in only a single predetermined wager form.
20. The wagering terminal according to claim 17, wherein the wagering processor is configured for facilitating placement of the wager in accordance with one of a plurality of user-selectable predetermined wager forms.




FIG. 1






FIG. 2







5/7




FIG. 5a





FIG. 5b

FIG. 5c

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/CA 00/00443

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 G07F17/32 G06F17/60

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G07F G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 830 068 A (PERRY BRENT E ET AL) 3 November 1998 (1998-11-03) cited in the application	1,7-12, 15
Y	abstract	6,16
A	column 2, line 30 -column 3, line 30  column 4, line 18 - line 42 column 4, line 57 -column 5, line 3 column 13, line 14 - line 27 column 26, line 57 -column 27, line 38 figures 1-6,18-20,27 --- -/-	2-5,13, 14,17-20

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

14 September 2000

Date of mailing of the international search report

26/09/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Van Dop, E

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/CA 00/00443

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y A	US 3 909 002 A (LEVY DAVID) 30 September 1975 (1975-09-30) abstract  column 2, line 61 -column 3, line 28 column 4, line 16 - line 45 -----	6,16  1-5, 7-15, 17-20
X A	US 5 746 657 A (UENO TERUO) 5 May 1998 (1998-05-05) abstract  column 2, line 47 -column 3, line 51 figures 1-8 -----	1,8-10, 12,15 2-7,11, 13,14, 16-20
A	GB 2 093 237 A (DUTCHFORD LTD). 25 August 1982 (1982-08-25) abstract claims 1-8 -----	1-20

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/CA 00/00443

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5830068 A	03-11-1998	AU 7235696 A CA 2232308 A EP 1004997 A EP 1004998 A EP 1004999 A EP 1005000 A EP 1005001 A EP 0848846 A NZ 319764 A WO 9709699 A US 6004211 A US 6099409 A US 6089981 A	27-03-1997 13-03-1997 31-05-2000 31-05-2000 31-05-2000 31-05-2000 31-05-2000 24-06-1998 24-09-1998 13-03-1997 21-12-1999 08-08-2000 18-07-2000
US 3909002 A	30-09-1975	US 3810627 A	14-05-1974
US 5746657 A	05-05-1998	JP 8221493 A JP 8235281 A	30-08-1996 13-09-1996
GB 2093237 A	25-08-1982	NONE	



EVIDENCE APPENDIX E  
COPY OF TULLEY ET AL. US PATENT NO. 6,688,976

(x) Related Proceedings Appendix

None.

EVIDENCE APPENDIX C  
COPY OF THE ADVISORY ACTION DATED MARCH 2, 2007



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/727,248	11/29/2000	Christopher A. Lee	ODS-20	4353

1473 7590 03/02/2007  
FISH & NEAVE IP GROUP  
ROPES & GRAY LLP  
1211 AVENUE OF THE AMERICAS  
NEW YORK, NY 10036-8704

EXAMINER

HARPER, TRAMAR YONG

ART UNIT	PAPER NUMBER
----------	--------------

3714

MAIL DATE	DELIVERY MODE
-----------	---------------

03/02/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

**Advisory Action  
Before the Filing of an Appeal Brief**

Application No.

09/727,248

Applicant(s)

LEE, CHRISTOPHER A.

Examiner

Tramar Harper

Art Unit

3714

--The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

THE REPLY FILED 13 February 2007 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE.

1. ☒ The reply was filed after a final rejection, but prior to or on the same day as filing a Notice of Appeal. To avoid abandonment of this application, applicant must timely file one of the following replies: (1) an amendment, affidavit, or other evidence, which places the application in condition for allowance; (2) a Notice of Appeal (with appeal fee) in compliance with 37 CFR 41.31; or (3) a Request for Continued Examination (RCE) in compliance with 37 CFR 1.114. The reply must be filed within one of the following time periods:

- a) ☒ The period for reply expires 3 months from the mailing date of the final rejection.  
b) ☐ The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection.

Examiner Note: If box 1 is checked, check either box (a) or (b). ONLY CHECK BOX (b) WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).

Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**NOTICE OF APPEAL**

2. ☐ The Notice of Appeal was filed on \_\_\_\_\_. A brief in compliance with 37 CFR 41.37 must be filed within two months of the date of filing the Notice of Appeal (37 CFR 41.37(a)), or any extension thereof (37 CFR 41.37(e)), to avoid dismissal of the appeal. Since a Notice of Appeal has been filed, any reply must be filed within the time period set forth in 37 CFR 41.37(a).

**AMENDMENTS**

3. ☐ The proposed amendment(s) filed after a final rejection, but prior to the date of filing a brief, will not be entered because  
(a) ☐ They raise new issues that would require further consideration and/or search (see NOTE below);  
(b) ☐ They raise the issue of new matter (see NOTE below);  
(c) ☐ They are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or  
(d) ☐ They present additional claims without canceling a corresponding number of finally rejected claims.

NOTE: \_\_\_\_\_. (See 37 CFR 1.116 and 41.33(a)).

4. ☐ The amendments are not in compliance with 37 CFR 1.121. See attached Notice of Non-Compliant Amendment (PTOL-324).  
5. ☐ Applicant's reply has overcome the following rejection(s): \_\_\_\_\_.  
6. ☐ Newly proposed or amended claim(s) \_\_\_\_\_ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).  
7. ☒ For purposes of appeal, the proposed amendment(s): a) ☒ will not be entered, or b) ☐ will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.  
The status of the claim(s) is (or will be) as follows:  
Claim(s) allowed: \_\_\_\_\_.  
Claim(s) objected to: \_\_\_\_\_.  
Claim(s) rejected: 1-46.  
Claim(s) withdrawn from consideration: \_\_\_\_\_.

**AFFIDAVIT OR OTHER EVIDENCE**

8. ☐ The affidavit or other evidence filed after a final action, but before or on the date of filing a Notice of Appeal will not be entered because applicant failed to provide a showing of good and sufficient reasons why the affidavit or other evidence is necessary and was not earlier presented. See 37 CFR 1.116(e).  
9. ☐ The affidavit or other evidence filed after the date of filing a Notice of Appeal, but prior to the date of filing a brief, will not be entered because the affidavit or other evidence failed to overcome all rejections under appeal and/or appellant fails to provide a showing of good and sufficient reasons why it is necessary and was not earlier presented. See 37 CFR 41.33(d)(1).  
10. ☐ The affidavit or other evidence is entered. An explanation of the status of the claims after entry is below or attached.

**REQUEST FOR RECONSIDERATION/OTHER**

11. ☒ The request for reconsideration has been considered but does NOT place the application in condition for allowance because:  
See Continuation Sheet.  
12. ☐ Note the attached Information Disclosure Statement(s). (PTO/SB/08) Paper No(s). \_\_\_\_\_.  
13. ☐ Other: \_\_\_\_\_.

  
ROBERT E. PEZZUTO  
SUPERVISORY PRIMARY EXAMINER

Continuation of 11. does NOT place the application in condition for allowance because: Applicant's arguments filed 2/13/07 have been fully considered but they are not persuasive. In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, Stronach discloses that upon actuation of the quick pick button the wagering terminal automatically selects racing candidates based on various algorithms. Each time the quick pick button is actuated a different set of candidates is determined until the desired combination is formed. This is interpreted, although not using a random number generator, a random means for automatically selecting candidates. It is well known in the art that random number generators are a means for automatically selecting a random outcome or event. Such generators randomly select numbers based on some type of algorithm. Tulley discloses a lottery system that comprises of a controller that offers a "quick pick" function. The player can press the "quick pick" button to randomly select/generate lottery numbers to the player and if the generated set is not deemed satisfactory a new set can be generated. Tulley discloses that the system can be used for pari-mutuel horse racetrack betting where the player has to select in order the top three horses that will win. Tulley discloses that additionally the player can request that his/her selections be associated with a limited number of occurrences. When referring to that aspect of said invention, Tulley discloses that the limited number of occurrences feature involves the controller randomly generating a set of number or candidates (Col. 5:40-46). Therefore, the "quick pick" random process is implemented in the horse wagering system. In regards to the motivation to combine, Examiner contends that both references attempt to provide a means for automatically generating a combination of candidates or indicia e.g. have the same stated problem. Stronach is silent to explicitly using a random number generator for randomly generating candidates (quick pick). Tulley teaches that a random number generator can be used as a means to randomly generate quick picks in regards to horse racing. One skilled in the art would know that a "quick pick" are well known to be associated with random number generators. Therefore one would be motivated to modify Stronach with the random number generator, which is well known in the art, as an alternative means of providing a quick pick for indecisive players.